

The LabPlot Handbook

Stefan Gerlach <stefan.gerlach@uni-konstanz.de>

Revision 1.6.0 (10/13/2007)

Copyright © 2007 Stefan Gerlach

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with no Invariant Sections, with no Front-Cover Texts, and with no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

LabPlot is a program for two- and three-dimensional function plotting and data analysis.

Table of Contents

1. Introduction
 - LabPlot Revision History
2. Features
3. Using LabPlot
 - Command Line Options
 - Specify a File
 - Other Command Line Options
 - The Spreadsheet
 - The Worksheet
 - Drag and Drop
 - Positioning with the Mouse
 - Status Bar
 - Side Tool Bar
4. Command Reference
 - The File Menu
 - The Edit Menu
 - The View Menu
 - The Spreadsheet Menu
 - The Analysis Menu
 - The Appearance Menu
 - The Drawing Menu
 - The Sheet List Menu
 - The Graph List Menu
 - The Scripting Menu
 - The Settings Menu
 - The Help Menu
 - Main Tool Bar
 - Side Tool Bar
5. The Dialogs
 - Function
 - Data

- Plot List
- Graph List
 - Add Graph
- Import Dialog
- Edit
- Objects
- File Info
- Dump
- Appearance
 - Plot Settings
 - Worksheet Settings
 - Axes
 - Title
 - Legend
- Analysis
- Arrange
- Overlay
- QSA Workbench
- 6. Advanced Topics
 - Topics
 - Errorbars
 - TeX label
 - Database import/export
 - multiple plots
 - using date and time formats
 - QWT 3D Plots
 - Importing Origin OPJ files
 - XML project format
- 7. Parser functions
 - standard function
 - GSL special function
 - GSL random number distributions
 - constants
 - GSL constants
- 8. Scripting
 - QSA
 - Using Scripts
 - Specials
- 9. Examples
- 10. Known Bugs
 - Known Bugs
- 11. Questions and Answers
- 12. License
- A. Installation
 - How to Obtain LabPlot
 - Requirements
 - Compilation and Installation

List of Tables

5.1. Analysis functions of LabPlot

9.1. Example Projects for LabPlot

Chapter 1. Introduction

Table of Contents

LabPlot Revision History

[IMAGE]

LabPlot is a program for two- and three-dimensional graphical presentation of data sets and functions. LabPlot allows you to work with multiple plots which each can have multiple graphs. The graphs can be produced from data or from functions.

All settings of a complete set of plots can be saved in a project files. These project files may be opened by command line parameters, using the File menu, or by drag and drop.

Every object (title, legend, axes, axes label) can be dragged with the mouse. A double click on an object opens the corresponding dialog to change the options of the object.

The settings of a plot/graph may also be changed using the Appearance menu. With the Edit menu additional data sets and functions (graphs) can be included which can be displayed in the same as well as in different plot.

LabPlot Revision History

- Version 1.6.0 (December 17, 2007)
 - new default project format (XML)
 - improved import dialog
 - versatile errorbar styles
 - improved memory management
 - HDF5 data file support
 - added project/dataset notes
 - different background brush styles
 - optional put drawing objects in background
 - customize binary byteorder in import/export

- arrange sheets in tile/cascade
- full ORIGIN 7.5 project support
- added Laplace transform
- using R math functions and constants if available
- descriptive statistics/one and two sample tests using R
- improved polar and 3d plot (delaunay triangulation) and data mode
- Version 1.5.1 (March 27, 2006)
 - new analysis functions : noise, signal filter, auto-/crosscorrelation and capability analysis
 - "add graph" dialog in graph dialog
 - improved set-value dialog in spreadsheet
 - support for panel plots and improved surface and pie plot
 - much improved explorer dialog with drag and drop
 - save and restore sheets position/size in project
 - statistics on columns/rows and fitting in spreadsheets
 - new axes tic style and fill between curves
 - support for richtext in legend
 - save settings and update open dialogs
 - optional xml project format (will be used later as standard format)
 - lot of bug fixes
- Version 1.5.0 (August 15, 2005)
 - more weightings+residuals for regression/nonlinear fit
 - added wavelet and Hankel transform and improved analysis functions
 - improved surface and qwt 3d plot
 - improved behavior with non-linear scales and LaTeX label support
 - import/export data from/to PostgreSQL, MySQL, etc. via KexiDB
 - import Origin OPJ projects (Origin worksheets only)

- better scripting support
- many bug fixes
- Version 1.4.1 (March 28, 2005)
 - nonlinear fit any user-defined function with up to 9 parameter
 - configure default value for plot style and symbols
 - clone graphs and delete/clone plots
 - improved import/export settings with support for binary data
 - more analysis functions : compress, peak find, periodical, seasonal
 - regression/nonlinear fit of data with errorbars
 - speed mode for large data sets and data mode for inspecting data points
 - zoomin/zoomout, marker and improved axis grid
 - mask data points in spreadsheet and plot
- Version 1.4.0 (December 15, 2004)
 - versatile spreadsheet with data import, editing, etc.
 - new 3d plot with rotation and colormaps (using qwtplot3d library)
 - double buffered plotting (no flicker)
 - data set operations
 - import/export of over 80 image formats (SVG, fits,...) and better image handling
 - direct export to PS, EPS, PDF via ghostscript
 - simple scripting using QSA
- Version 1.3.1 (August 30, 2004)
 - native export to SVG, EPS and more graphic formats
 - support for ternary and polar plots
 - added (de)convolution and interpolation
 - better zooming, errorbar plotting and annotate values
 - more plot symbols and brush

- reading and writing of netcdf, cdf and audio (wav,au,snd,aiff,...) files
- improved graph list dialog
- new file info dialog
- Version 1.3.0 (June 14, 2004)
 - multiple plots per worksheet
 - handling of time and date format
 - improved axes settings
 - improved surface (density, contour) plots
 - improved nonlinear fit
 - support for pie plots
 - improved documentation
 - German handbook
- Version 1.2.3 (February 16, 2004)
 - linear regression and nonlinear fit
 - improved fourier transform using gsl or fftw
 - integration, differences and histograms
 - creating, editing and moving drawing objects with mouse
 - reading/writing of compressed data (gzip,bzip2)
 - KDE KPart for LabPlot project files
 - more bugfixes and improved German translation
- Version 1.2.2 (December 17, 2003)
 - logarithmic scales of axes
 - support of drawing objects
 - support for gsl special functions and distributions
 - fourier transform via gsl
 - export to PDF, FIG, DXF, etc. via pstoeedit

- export to > 100 different image formats via ImageMagick
- more bugfixes
- Version 1.2.1 (October 26, 2003)
 - much improved GUI
 - better KDE integration
 - richtext title and axes label
 - improved 3d plotting
 - new analysis functions
 - better data reading
 - configure and save user settings
 - examples
- Version 1.2.0 (September 08, 2003)
 - new improved internal plot structure
 - parser support for functions with more parameters
 - new surface plot with contour support and legend
 - support for JPEG2000 and tiff
 - user guide (this handbook)
 - more bugfixes
- Version 1.1.1 (July 26, 2003)
 - matrix-data-reading
 - density plots from function and data
 - parser completely rewritten
 - colored and scaled printing
 - export plot as graphics
 - more flexible data reading
 - improved axis ticks label (format and position)

- more bugfixes
- Version 1.1 (June 22, 2003)
 - more object attributes (title color, grid color, etc.)
 - support 2d errorbars
 - drag and drop of the title, the axes with correct rescaling
 - improved save and open of all plots in a project file
 - lots of bug fixes
- Version 1.0.3 (May 11, 2003)
 - Plot list in menubar
 - improved workspace management
 - drag and drop of the legend
 - EditDialog for editing data
- Version 1.0.2 (April 4, 2003)
 - shift plot with toolbuttons
 - scaling of plot with toolbuttons
 - opening Dialogs via mouse click
 - improved print preview
- Version 1.0.1 (March 18, 2003)
 - Print Preview implemented
 - introduced graph label different from name
- Version 1.0 (March 3, 2003; renamed to LabPlot)
 - support for KDE 3.0 and KDE 2.x
 - automake and autoconf scripts (./configure)
- Version 0.9.x (February 26, 2003)
 - improved DataDialog
 - save and open of an Plot

- started with i18n (de)
- started with migration from Qt? to KDE
- improved ListDialog
- changing of data and function graphs in ListDialog
- support for grid in 2d and 3d plots
- Version 0.4.0 (October 7, 2002)
 - support for 3D Plots
 - using GraphList for storing all graph of a plot
 - better scaling of the whole plot
 - new class GraphM for matrix-data support
- Version 0.2.1 (June 30, 2001)
 - Legend in Plot
 - ListDialog for all graphs in a Plot
- Version 0.2 (June 16, 2001)
 - first PlotWidget with single graph
 - creating data via FunctionDialog
- Version 0.1 (May 20, 2001; first release under the name QPlot)

Chapter 2. Features

This chapter tries to provide a complete list of the features of LabPlot.

2D and 3D data and function plotting

- flexible data reading/writing in different formats (including HDF5, CDF, netCDF, audio, binary, images, databases)
- reading and writing of images and compressed data
- extensive parser for creating 2d, 3d functions
- support for all GNU Scientific Library (GSL) functions and constants
- creating surface, polar, ternary, and pie plots from function and data files
- flexible 3d plot using qwtplot3d with rotation, etc.

- multiple plots per worksheet
- data set operations
- speed mode for large data sets and data mode for inspecting data points

Easy editing of plots

- clone graphs and delete/clone plots
- versatile spreadsheet for data manipulation
- double click to open detailed dialogs for all settings
- every object can be dragged by mouse
- online scaling and shifting of plots
- LaTeX and richtext label support
- evaluating expressions and direct editing of data
- data statistics information
- drawing objects editable with mouse
- free or pan zooming, masking of data points and marker
- "add graph" dialog in graph dialog
- support for panel plots
- versatile errorbar styles

Analysis of data and functions

- average, smooth and prune data
- compress, periodical and seasonal analysis
- peak find
- interpolation (splines, etc.)
- differences
- integration
- histogram
- regression (up to 10th order)

- non-linear fit (also any user defined function with up to 9 parameter)
- Fourier, Wavelet, Laplace and Hankel transform
- (de)convolution
- image manipulation
- noise, signal filter and auto-/crosscorrelation
- capability analysis
- using R for functions and descriptive statistics/one and two sample tests

LabPlot project files

- support for different worksheets and spreadsheets using MDI
- save and open all worksheets and spreadsheets in a xml project file (*.lml)
- editable project information
- export worksheets as image, PS, EPS, SVG, PDF and many more formats (using pstoeedit or ImageMagick)
- import/export data from/to PostgreSQL, MySQL, etc. via KexiDB
- many example projects files
- optional xml project format (will be used later as standard format)
- support for project and data set notes
- import of Origin OPJ projects

KDE look and feel

- configure default value for plot style and symbols
- print and embedded print preview
- drag and drop support
- KPart for LabPlot projects
- KDE handbook (English and German)
- complete scriptable using Qt? Script for Applications (QSA)

Chapter 3. Using LabPlot

Table of Contents

- Command Line Options
 - Specify a File
 - Other Command Line Options
- The Spreadsheet
- The Worksheet
- Drag and Drop
- Positioning with the Mouse
- Status Bar
- Side Tool Bar

Command Line Options

Specify a File

When starting LabPlot from the command prompt, you can supply the name of a project file:

LabPlot [*file.lml...*]

Other Command Line Options

The following command line help options are available

LabPlot --help

This lists the most basic options available at the command line.

LabPlot --help-qt

This lists the options available for changing the way LabPlot interacts with Qt?

LabPlot --help-kde

This lists the options available for changing the way LabPlot interacts with KDE.

LabPlot --help-all

This lists all of the command line options.

LabPlot --no-splash

do not show the splash screen

LabPlot --author

Lists LabPlot's author in the terminal window

LabPlot --version

Lists version information for Qt?, KDE, and LabPlot. Also available through **LabPlot -v**

The Spreadsheet

[IMAGE]

The spreadsheet is the main part of LabPlot when working with data. For controlling and converting data the spreadsheet contains a customizable table. Every column of the table has a certain label and can be assigned a format (like double or datetime format). Every spreadsheet has notes for adding additional informations.

You can import data via the import dialog. Any spreadsheet function can be reached via the context menu (right click). You can cut, copy and paste between spreadsheets, fill, normalize and convert data and finally make plots out of your data. Of course you can also export the data in the spreadsheet.

Since version 1.4.1 you can mask certain data points in the spreadsheet which are excluded from plotting. The masking of datapoints can be later influenced in the graph list dialog.

With the "set column value" dialog Labplot allows you to apply versatile operations on the column data. Of course you can also use data from other columns by using "col(column name)" when manipulating the data.

The Worksheet

[IMAGE]

The worksheet contains all the plots and drawing objects. You can customize the worksheet in the worksheet dialog.

The worksheet can contains multiple plots with different characteristics. To arrange or overlay plots in a worksheet use the "arrange plots" or "overlay plots" menu items. These dialogs will automatically align the different plots according your selection.

An often needed feature is having an independent y axis. This can be easily done by creating a second plot and overlay it on the first plot.

Drag and Drop

LabPlot supports the Drag and Drop protocol of KDE and Qt?. This means that you can open a project by dragging their symbols onto the LabPlot window. Project files should have the extension `.lml`.

Positioning with the Mouse

LabPlot supports dragging of the axes, title, legend and axes label with the mouse.

To move an item, its area has to be clicked with the left mouse button. When the mouse is moved with the left mouse button pressed, the plot is continuously updated to display the new position. After releasing of the mouse button the item is dropped there.

Status Bar

The horizontal and vertical positions of the mouse pointer in the plot area are displayed in data units on the left side of the status bar at the bottom of the LabPlot window.

Side Tool Bar

From the side tool bar many functions can be reached easy. You can select to zoom, move or scale a plot here. Also some more enhanced functions like data mode (to inspect single data points) or masking of data points can be selected here too. For more information take a look here.

Chapter 4. Command Reference

Table of Contents

- The File Menu
- The Edit Menu
- The View Menu
- The Spreadsheet Menu
- The Analysis Menu
- The Appearance Menu
- The Drawing Menu
- The Sheet List Menu
- The Graph List Menu
- The Scripting Menu
- The Settings Menu
- The Help Menu
- Main Tool Bar
- Side Tool Bar

The File Menu

File->New (**Ctrl-n**)

Creates a new LabPlot project file.

In a project file all settings and all plots are stored in ASCII format.

File->Open (**Ctrl-o**)

Opens a LabPlot project file.

File->Open Recent

Opens a recent LabPlot project file.

Here the last used 10 project files are listed.

File->Save (**Ctrl-s**)

Saves the actual project.

If you haven't saved the project before the project is saved under a temporary project file name.

File->Save As (**Ctrl-a**)

Saves the actual project under a different name.

File->OpenXML

Open project from a LabPlot XML file.

File->SaveXML

Save project to a LabPlot XML file.

File->Project Infos (**Alt-v**)

This dialog gives you the possibility to watch and change some project related options like title, author, creation date, etc. This information is saved in the project file and can be used to save some additional information about a project.

File->Project Explorer (**Ctrl->**)

This dialog gives you an overview of the structure of a project. In future releases there may be some additional functionality here like adding deleting graphs, plots or worksheets.

File->Import (**Ctrl-Shift-l**)

Import data into the active spreadsheet

This item can be used to import data into LabPlot. Please read more in the import dialog section.

File->Import OPJ project (**Ctrl-Shift-j**)

Import OPJ project

This item can be used to import Origin OPJ projects into LabPlot.

File->Export to Image (**Ctrl-r**)

Saves the active plot as a graphic.

Here you have the possibility to save the active plot under different image formats. Currently supported are : BMP, JPG, JPG2000, PBM, PGM, PNG, PPM, TIFF, XBM and XPM.

File->Export to ... (**Ctrl-o**)

Saves the active plot as special format.

Currently supported are : Postscript (PS), Encapsulated Postscript (EPS), Portable Document Format (PDF), Scalable Vector Graphics (SVG) and the native QPicture Format (PIC).

File->Export via pstoeedit (**Alt-e**)

Export the active plot to different formats.

Here you have the possibility to export the active plot to different file formats via pstoeedit. Supported are : DXF, FIG, EPS, and many more.

File->Export via ImageMagick (**Alt-i**)

Export the active plot to different image formats.

Here you have the possibility to export the active plot to different image formats via ImageMagick. Supported are over than 100 different formats! Please see the documentation of ImageMagick for more informations.

File->Print (**Ctrl-p**)

Prints the active plot.

Here a print dialog is opened where you can select the printer, different paper sizes, etc.

File->Print Preview (**Alt-p**)

Open a print preview.

This item opens an embedded print preview of the active plot in A5 landscape. If the print preview is active you can close it with this item.

File->Quit (**Ctrl-q**)

Quit LabPlot.

The Edit Menu

Edit->New 2D Plot (**Ctrl-Shift-n**)

This is used to open a new empty 2D Plot in the current worksheet.

Edit->New Surface Plot (**Alt-z**)

This is used to open a new empty surface plot in the active worksheet.

Edit->New 3D Plot (**Ctrl-m**)

This is used to open a new empty 3D Plot in the active worksheet.

Edit->New QWT 3D Plot (**Ctrl-Shift-q**)

This is used to open a new empty QWT 3D Plot in the active worksheet.

Edit->New Pie Plot (**Alt-.**)

This is used to open a new empty Pie Plot in the active worksheet.

Edit->New Polar Plot (**Ctrl-Shift-o**)

This is used to open a new empty Polar Plot in the active worksheet.

Edit->New Ternary Plot (**Ctrl-Shift-t**)

This is used to open a new empty Ternary Plot in the active worksheet.

Edit->Delete Active Plot (**Alt-q**)

This is used to delete the active plot in the current worksheet.

Edit->Clone Active Sheet (**Alt->**)

This item can be used to clone the active spreadsheet / worksheet.

Edit->New Spreadsheet (**Ctrl-Shift-S**)

This is used to open a new spreadsheet.

Edit->New Worksheet (**Alt-x**)

This is used to open a new worksheet.

Plot->Graph List (**Ctrl-g**)

Opens the graph list dialog.

In the list dialog you can manipulate the graphs of the active plot. This dialog can also be reached by double clicking on a plot.

Plot->Plot List (**Ctrl-Shift-.**)

Opens the plot list dialog.

In the plot list dialog you can manipulate the plots of the active worksheet.

Plot->New Plot from Function

Opens the function dialog.

This item opens the function dialog to create a plot from a user defined function.

Plot->New Plot from Function->2DFunction (**Ctrl-e**)

Opens the 2d function dialog.

This item opens the function dialog to create a 2 dimensional graph from a user defined function.

Plot->New Plot from Function->2D Surface Function (**Ctrl-u**)

Opens the 2d surface function dialog.

This item opens the function dialog to create a 2 dimensional surface graph from a user defined function.

Plot->New Plot from Function->Polar Function (**Alt-<**)

Opens the polar function dialog.

This item opens the function dialog to create a 2 dimensional polar graph from a function.

Plot->New Plot from Function->3D Function (**Ctrl-f**)

Opens the 3d function dialog.

This item opens the function dialog to create a 3 dimensional graph from a user defined function.

Plot->New Plot from Data

Opens the data dialog.

This item opens the data dialog to create a plot from data.

Plot->New Plot from Data->2D Data (**Ctrl-d**)

Opens the 2d data dialog.

This item opens the data dialog to create a 2 dimensional graph from a data file. You can specify a lot of options for reading data so you should be able to read any type of ASCII data here.

Plot->New Plot from Data->2D Surface Data (**Alt--**)

Opens the 2d surface data dialog.

This item opens the data dialog to create a 2 dimensional surface graph from a data file.

Plot->New Plot from Data->Pie Data (**Alt-,**)

Opens the pie data dialog.

This item opens the data dialog to create a 2 dimensional pie graph from a data file.

Plot->New Plot from Data->Polar Data (**Ctrl-,**)

Opens the polar data dialog.

This item opens the data dialog to create a 2 dimensional polar graph from a data file.

Plot->New Plot from Data->Ternary Data (**Ctrl-Shift-Y**)

Opens the ternary data dialog.

This item opens the data dialog to create a 2 dimensional ternary graph from a data file.

Edit->New Plot from Data->3D Data (**Ctrl-i**)

Opens the 3d data dialog.

This item opens the data dialog to create a 3 dimensional graph from a data file. You can specify a lot of options for reading data so you should be able to read any type of ASCII data here.

Plot->New Plot from Data->QWT 3D Data (**Ctrl-Shift-B**)

Opens the QWT 3D data dialog.

This item opens the data dialog to create a 3 dimensional QWT plot from a data file.

Plot->Speed Mode

Toggles the speed mode setting

This item can be used to switch the speed mode on or off. The speed mode can be used to accelerate the drawing for large datasets by drawing only a limited number of data points. The number of datapoints can be selected in the settings dialog.

Edit->Clear (**Ctrl-c**)

Clear the active plot. With this item all graphs in the active plot are deleted and you get an empty plot like from "New 2D/3D/Surface/Pie Plot".

If the active sheet is a spreadsheet it is cleared too.

Edit->Close (**Ctrl-w**)

Closes the active sheet. With this item you can also close the print preview.

The View Menu

This menu contains all the items that can also be found in the side tool bar.

The Spreadsheet Menu

This menu contains all the items that can also be found in the context menu (right mouse) of a spreadsheet. If no spreadsheet is active, you can add a new spreadsheet.

The Analysis Menu

Please also check out the detailed informations about the analysis functions.

Analysis->Evaluate Equation (**Ctrl-#**)

Lets you evaluate any equation

Analysis->Data set operations (**Ctrl-Shift-d**)

Opens the Operations Dialog

Here you can operate on data sets that means add or multiply the values of different graphs.

Analysis->Periodic->Periodic Function (**Ctrl-Shift-k**)

Opens the Periodic Dialog

Lets you investigate periodic data.

Analysis->Periodic->Seasonal (**Ctrl-Shift-u**)

Opens the Seasonal Dialog

Lets you compress periodic data.

Analysis->Peak find (**Ctrl-Shift-x**)

Opens the Peak Find Dialog

Here you can find peaks in a data set.

Analysis->Histogram (**Alt-h**)

Opens the Histogram Dialog

Here you can create a histogram of any graph. Choose the range and bins for the histogram in this dialog.

You need GSL installed to use this.

Analysis->Interpolation (**Alt-i**)

Opens the Interpolation Dialog

Here you can interpolate any graph. You can choose the type of interpolation the range and the number of points for the resulting function in this dialog.

You need GSL installed to use this.

Analysis->Differences (**Alt-d**)

Opens the Differences Dialog

Here you can create a graph of numerical differences for selected data (derivation of a function).

Analysis->Integration (**Alt-n**)

Opens the Integration Dialog

Here you can numerical integrate the selected graph. Define the needed region or use the active region (can be defined under the appearance menu.)

You need GSL installed to use this.

Analysis->Filter->Average (**Alt-a**)

Opens the Average Dialog

Here you can create a new graph from the averaged data of any other graph.

Analysis->Filter->Smooth (**Alt-s**)

Opens the Smooth Dialog

Here you can create a new graph from the smoothed data of any other graph.

Analysis->Filter->Compress (**Ctrl-Shift-h**)

Opens the Compress Dialog

Compress data sets.

Analysis->Filter->Prune (**Alt-r**)

Opens the Prune Dialog

Here you can create a new graph from the pruned data of any other graph.

Analysis->Filter->Noise (**Alt-r**)

Opens the Noise Dialog

Lets you add a certain noise to your data.

Analysis->Filter->Signal Filter (**Alt-r**)

Opens the Signal Filter Dialog

Lets you apply a (signal) filter to your data.

Analysis->Transform->FFT (**Alt-f**)

Opens the FFT Dialog

Here you can make a fast fourier transform of the selected graphs. If supported on your platform you can choose what library is actually used for the fourier transform (GNU scientific library (GSL) or the Fastest Fourier Transform in the West (FFTW)). You can make forward or backward transform, make the x-Axis index, frequency or period and create the y-axis as magnitude, real, imaginary or phase.

You need GSL installed to use this.

Analysis->Transform->Convolution/Deconvolution (**Alt-C**)

Opens the Convolution Dialog

In this dialog you can make a convolution/deconvolution of one graph with another. The used x-values can be selected.

You need GSL installed to use this.

Analysis->Transform->Auto-/Crosscorrelation (**Ctrl-+**)

Opens the Correlation Dialog

In this dialog you can make an auto-/crosscorrelation of one/two graphs.

You need GSL installed to use this.

Analysis->Transform->Wavelet Transform (**Ctrl-Shift-<**)

Opens the Wavelet Dialog

You need GSL installed to use this.

Analysis->Transform->Hankel Transform (**Ctrl-Shift->**)

Opens the Hankel Dialog

You need GSL ≥ 1.6 installed to use this.

Analysis->Statistics->Capability Analysis (**Alt-;**)

Opens the Capability Dialog

You need GSL installed to use this.

Analysis->Regression (**Alt-l**)

Opens the Regression Dialog

In this dialog you can make a regression of your data with different models and weight. The region can be defined here to.

You need GSL installed to use this.

Analysis->Nonlinear Fit (**Alt-t**)

Opens the Nonlinear Fit Dialog

With this dialog you can make a nonlinear fit of your data. Currently 12 different models and any user defined model with up to 9 parameter can be selected. Start values, steps and tolerance for the non-linear least-square fit using gsl can be set.

You need GSL installed to use this.

Analysis->Image Manipulation (**Ctrl-Shift-g**)

Opens the Image Manipulation Dialog

With this dialog you can manipulate matrix or image data as image. Operations like rotate, scale, sharpen or brighten can be performed here. Please see the analysis function overview.

The Appearance Menu

Appearance->Arrange Plots (**Alt-y**)

Opens the arrange dialog.

Here you can specify how to arrange plots on a worksheet.

Appearance->Overlay Plots (**Ctrl--**)

Opens the overlay dialog.

Here you can exactly overlay a plot onto another.

Appearance->Plot Settings (**Ctrl-j**)

Opens the plot dialog.

Here you can change the settings of the active plot.

Appearance->Worksheet Settings (**Alt-w**)

Opens the worksheet dialog.

Here you can make the settings of the active worksheet.

Appearance->Axes Settings (**Ctrl-b**)

Opens the axes dialog.

Here you can change the settings of the axes in a plot.

Appearance->Title Dialog (**Ctrl-t**)

Opens the title dialog.

Here you can change the settings of the title in a plot.

Appearance->Legend Dialog (**Ctrl-l**)

Opens the legend dialog.

Here you can change the settings of the legend in a plot.

Appearance->Drawing objects (**Alt-o**)

Opens the objects dialog.

Here you can add new drawing objects and change their settings.

The Drawing Menu

In this menu the baseline and the region of a plot can be defined. Also 5 different types of drawing objects can be easily created here.

With "Create Baseline" you can create a baseline which is used for filling of graphs and for integration. With "Create Region" a region can be defined. A Region is used for nonlinear fitting, integration, etc.

With the 5 other items the different drawing objects can be easily created by mouse. Please follow the hints in the statusbar.

The Sheet List Menu

This menu gives you a list of all worksheets and spreadsheets of a project. You can select the active (and shown) sheet here.

The Graph List Menu

This menu gives you a list of all graphs of a worksheet. You can directly change the settings of a graph by selecting the corresponding item here.

The Scripting Menu

This menu collects items that can be used to manipulate scripts to automate LabPlot functions

Check out the Scripting Chapter for using the scripting interface of LabPlot

Script->Load Script (**Ctrl-Shift-c**)

Load and Execute a Qt? Script for Applications (QSA) script (*.qs).

Script->Open QSA Workbench (**Ctrl-Shift-w**)

Open the QSA workbench to create and edit QSA scripts (*.qs).

The Settings Menu

This menu gives you the ability to change user settings.

Settings->Fullscreen (**Ctrl-Shift-f**)

Show the workspace in full screen mode.

Settings->Show Menubar (**Ctrl-m**)

Toggle the menubar.

Settings->Configure LabPlot

Configure user settings of LabPlot. The default Style and Symbol for 2D or Surface plots can be set here too.

Settings->Save settings

Save all the user settings of LabPlot.

The Help Menu

Help->Contents (**F1**)

Here the contents page of the help for LabPlot is available.

Help->Examples

Here you will find many LabPlot example projects.

Help->About LabPlot

Displays essential information about LabPlot.

Main Tool Bar

The main toolbar contains the main items that you can find in the different menus. You can adapt the shown items in Settings->Configure Toolbars ... dialog

Side Tool Bar

The LabPlot side tool bar contains the following buttons:

Button	Action
Lens	magnify lens
Hand	pan zoom
data mode	inspect single data points.
mask data	select data points to mask.
X	Autoscale X.
Y	Autoscale Y.
Z	Autoscale Z.
+	zoom in.
-	zoom out.
Left	Shift all graphs to the left.
Right	Shift all graphs to the right.
Up	Shift all graphs up.
Down	Shift all graphs to the down.
X+	Increases magnification in X.
X-	Decreases magnification in X.
Y+	Increases magnification in Y.
Y-	Decreases magnification in Y.
Z+	Increases magnification in Z.
Z-	Decreases magnification in Z.

Chapter 5. The Dialogs

Table of Contents

Function
 Data
 Plot List
 Graph List
 Add Graph
 Import Dialog
 Edit
 Objects
 File Info
 Dump

- Appearance
 - Plot Settings
 - Worksheet Settings
 - Axes
 - Title
 - Legend
- Analysis
- Arrange
- Overlay
- QSA Workbench

Function

The dialog Function is used to create and perform the settings for function plots. It looks the same for 2d, surface, pie and 3d plots. Only a few plot specific things differ. Especially the Style is different for surface plots.

The first linedit contains the expression for the plot function. The entered expression is evaluated via a powerful parser. For a complete list of supported functions see the parser section.

the second linedit is for setting the label of the created graph. This is the label which you see in the legend.

In the "Range" and "Number of Points" section you can select the range and the number of points for the created function.

With the remaining style items you can influence the appearance of the function. If you create a normal function the first selection defines the line style (Lines, NoCurve, Steps, Boxes, Impulses, Y Boxes), the color and if you want to have it filled (with a different color). The other items select the symbol for the plot points, with color, size, if it should be filled and with which color. If you create a surface plot you have the possibility to select whether to show a density or contour plot, or both. Then you can select the number of levels for contour plots and the colorscale for density plots.

For changing the settings of a function you have to select the change button in the list dialog. For changing the style of a surface plot you can also use the "Plot Settings" dialog.

Since version 1.4.0 LabPlot uses the new QWT 3D Plot which should be preferred to the simple 3d plot.

Data

The dialog Data is used to create graphs from data files.

This dialog looks very similar to the function dialog. There are some differences though. You have to select a data file to open in the first linedit. You can use the "New" button to open a file dialog for this. In the "Read from column" section you can enter from which column you want to read the corresponding values. If unsure use the check button to have a look at the data file. You can select here also from which to which row to read data and what separating character is used. The "auto" separation detects all number and combination of whitespaces.

When using "y1 | y2 | y3 | ..." in the "read as" selection the y-values are read from one line in the data files.

LabPlot supports the reading of images (all Qt? supported formats) and compressed data too (gzip, bzip2). for images you should select "matrix" to read the data of the image.

Since version 1.3.1 LabPlot can also read HDF5, netCDF, CDF and audio data (*.wav, *.au, *.aiff, *.snd,...). For netCDF and CDF data just select the variables in the x,y, etc. line edits and maybe check it in the "check data" dialog. For finding the correct variables you can use the file info dialog to check the content of a netCDF/CDF file. When reading audio data just select 1 for the time, 2 for the first channel and 3 for the second channel. 0 of course means index like when reading any other data file.

The "Read As" section selects the kind of data in the data file. The "Graph Type" selects the type of graph to create. From x-y data you can make only 2 dimensional plots. From x-y-z data you can create error and surface plots (2D data dialog) or density, contour or 3d plots (3D data dialog). From matrix data you can create density or contour plots (2D data dialog) or 3d plots (3D data dialog).

Since version 1.4.0 LabPlot uses the new QWT 3D Plot which should be preferred to the simple 3d plot.

Plot List

In the plot dialog you can manipulate the plots in a worksheet. You can clone or delete plots here.

Graph List

The list dialog is the central point for dealing with the different graphs of a plot. Here you have an overview of all graphs and you can manipulate them. You can reach the list dialog via the Plot->GraphList menu or by double clicking inside the plot. All mentioned functions can be reached in all list dialogs with the right mouse button

With "Show/Hide" you can toggle the state all selected graphs. Only "Shown" graphs are visible in the plot. The autoscaling function also uses only the visible graphs.

With the buttons "Add Datafile" and "Add Function" you can add a graph from data or function to the plot. (see function dialog or data dialog.) With "Delete" you can easily delete the selected graph. With "Change" you can change the settings of the selected graph. If you just want a copy of an existing graph use the "clone graph" button.

The "Export" button opens the dump dialog to export a graph to a file and the "Edit" button gets you to the edit dialog.

With "Toggle Masking" and "Unmask All" you can change the masking of different data points.

The "Statistics" button shows some statistics about the selected graphs.

Every manipulation can also be reached via the right mouse button. Multiple selections are possible.

Add Graph

Here you can add graphs from another worksheet or from any spreadsheet.

Import Dialog

With the import dialog you can import data into LabPlot.

In the line edit you can specify multiple data files to read. The "File Info" button shows you some informations about the selected files. You can also specify the separating character (for instance ",") and the comment line character. The start and end row to read can also be customized here.

Since version 1.4.1 of LabPlot you can select pre-defined filter for different standard data formats that select all needed settings. Also support for binary data import was added with this release.

Edit

With the edit dialog you can easily edit the data of a graph. You can reach this dialog via the list dialog.

The table on the top side shows you all the data. Here you can select which rows and columns you want to edit. You can delete or sort selected rows ascending or descending with the buttons under the Table. You can also evaluate an expression to the selected rows and columns. Here the same powerful parser features like in the function dialog can be used. For a list of available functions see the parser section.

Objects

With the objects dialog you can change the settings of all drawing objects. The object dialog can be found in the appearance menu.

There are 5 tabs for every type of drawing object. Line, Label, Rect, Ellipse and Image. For every object type you can define up to 10 different objects. All settings can be changed in this dialog. If you want to delete an object, select the object in the object list and push the "delete object" button.

If you want to create objects, you can use the items in the drawing menu. The objects then can be moved with the mouse. Double-click on an object opens the corresponding tab of the object dialog.

File Info

The file info dialog can be reached from the data dialog. Here you can find a lot of informations about a data file. Especially for HDF5, netCDF, CDF and audio files you can have a look at the internal structure of a data file.

Dump

The dump dialog can be reached from the graph list dialog. Here you can export a graph to ASCII, HDF5, netCDF, CDF, audio, binary or an image file. Every type of file has special options. You can also specify the range of data to export.

For ASCII data the file is automatically compressed when appending .gz or .bz2 to the filename.

Appearance

With the four appearance dialogs you can influence the settings of the active plot. You can reach this dialogs via the "Appearance" menu or by double clicking on the object in the plot.

Plot Settings

The graph dialog lets you select the background color, the graph background color (inside the plot) and the ranges for the different axes. Also marker or baseline settings can be changed here. The autorange functionality can also be reached from the side tool bar. If you have a surface plot you can also change the style settings here.

If the active plot is a QWT 3D plot you can select some special settings here. The plot style changes the surface of the 3d mesh. The coordinate style changes the coordinates. The floor style enables contour or density plots on the floor with a user specified number of isolines. Finally you can select a special colormap (139 different colormaps are provided by LabPlot per default).

Worksheet Settings

With the worksheet dialog you can change the title of a worksheet and the timestamp. The title and timestamp can be enabled or disable here too.

Axes

The axes dialog lets you change the settings for the different axes. It opens if you click on one of the axes.

In the upper region you have a list of all axes. Here you can select the axis to change. To enable or disable the axis use the checkbutton at the top of the dialog. Under the axes list you have different tabs to change a lot axis settings (color, tics, grid, etc.).

Title

In the title dialog you can change parameters of the title (label, size and font). The dialog open with double clicking on the title.

Legend

In the legend dialog you can change parameters of the legend (boxed, size and font). The dialog open with double clicking on the legend.

Analysis

With the analysis dialogs you can analyse a graph with different methods. By applying a method you create a new graph which is inserted in the active plot.

All analysis functions allows you to select the destination for the resulting data. You can add the result to any existing worksheet/spreadsheet or to a new worksheet/spreadsheet.

Most of the analysis functions can also be applied to a spreadsheet. From the selected columns of the spreadsheet a new column with the resulting values is created.

Table 5.1. Analysis functions of LabPlot

Name	Description	Parameter	Applies to
Data set operations	If you have at least two graphs in the active plot you can operate on this data set in this dialog. You can add, subtract, multiply and divide data sets here.	two datasets	
Average	With this function you can average over n points of a graph. The number of points is reduced by a factor of 1/n.	number of points to average	everything
Compress	This function can compress large datasets to less points. You can select whether to sum or average over a certain number of points.	sum or average; number of points	everything

Smooth	This function does the same as average but for every data point. So you will get a smoothed graph with the same number of data points.	number of points	SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY, X-Y-Z
Prune	This function reduces the number of data points by just using every n-th point. The resulting number of points is reduced by a factor of 1/n.	number of consecutive points	SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY
Periodical Functions	This function can be used to reduce a dataset to one period of a function. You can select whether to sum or average.	sum/average; points per period	SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY
Seasonal	This function can calculate the difference (or sum) of on period to the next one. The period is specified by the number of points in it.	sum/difference; points per period	SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY

Peak find	<p>This function allows you to find the peaks (also negative peaks) in a data set. The sensitivity for finding peaks can be specified with the parameters threshold and accuracy</p>	<p>positive/negative peaks;threshold (Y-Range); accuracy (X-range)</p>	<p>X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY</p>
Histogram	<p>With this function you can make a histogram of a graph. That means that the y-range is separated in n bins and every datapoint fitting in one bin is counted.</p>	<p>used Y-range; number of bins</p>	<p>SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY, MATRIX</p>
Interpolation	<p>Interpolation tries to find a smooth curves through a given set of data points. You can use different types of interpolation to do that : linear, polynomial, cspline, akima. All datapoints in the active region are used for interpolation.</p>	<p>interpolation type; range/number of points for interpolating function</p>	<p>SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY</p>

Differences	This dialog creates an approximation of the first derivative of a graph.	None	SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY
Integration	This function can be used to numerical integrate a graph. With the "Add Graph" checkbox you can select whether to add the integrated graph. With the "Show Info" checkbox selected the cumulative sum is shown in a separate window.	baseline/region for integration; sum or area (absolute values)	SPREADSHEET, X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY
Regression	The regression function can be used to fit a graph with polynomials up to the 10-th order.	weight/model; number of points/range for regression function	X-Y,X-Y-DY,X-Y-DX-DY
Fourier Tansform	With this function you can calculate the fourier transform of a graph. LabPlot can use the FFTW or GSL library for that. You can select whether to transform forward or backward.	X-values:index/frequency/period; Y-values:magnitude/phase/real part/imaginary part	X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY

Convolution/Deconvolution	<p>With this function you can calculate the convolution of one graph with another. LabPlot uses the FFTW of GSL for that. It is also possible to deconvolve a set.</p>	X-values:index/same as signal	<p>X-Y, X-Y-DY, X-Y-DY-DY + X-Y, X-Y-DY, X-Y-DY-DY</p>
Nonlinear Fit	<p>With this function you can fit a graph in a nonlinear fashion. You can select one of 12 different models or any user defined function with up to 9 parameters. Please note that fitting especially exponential models is very sensitive to the initial values. The resulting fit parameter are shown in the bottom field and automatically replaced as initial values for further fitting. The results are added to the plot as label.</p>	<p>fit function;initial values;baseline/region for fitting; range/number of points for fit function</p>	<p>X-Y, X-Y-DY, X-Y-DX-DY, X-Y-DY-DY</p>

Image Manipulation	In this function you can manipulate matrix or image data of the active plot (for instance a surface plot). LabPlot uses the API of ImageMagick to convert the image with about 50 different methods.	size (height/width) of resulting image	MATRIX,IMAGE
--------------------	--	--	--------------

Arrange

In the arrange dialog you can specify how to arrange plots on the worksheet. With 2x2 the plots are arranged in a 2x2 grid with a distance of gap between them and the border of the worksheet.

Overlay

In the overlay dialog you can simply overlay a plot onto another. Of course you need to have at least two plots in a worksheet to use this.

QSA Workbench

LabPlot uses the Qt? Script for Applications (QSA) extension of Qt? to use scripting. To create and edit scripts QSA includes the QSA workbench which can be used in LabPlot too.

For more informations take a look at the Scripting Chapter

Chapter 6. Advanced Topics

Table of Contents

Topics

- Errorbars
- TeX label
- Database import/export
- multiple plots
- using date and time formats
- QWT 3D Plots
- Importing Origin OPJ files
- XML project format

Here you will find some explanations of advanced topics.

I hope this will help to understand how to use some more advanced things in LabPlot.

Topics

Errorbars

If you want to plot data with errorbars just import your data with the import dialog into a spreadsheet. Select the column X, Y and DX, DY that you want to use for errorbars. You than should select the corresponding plot (XYDY for Y errorbars, XYDXDY for X and Y errorbars and XYDYDY for 2 Y errorbars (up and down)).

If you use the data dialog to import your data directly into a plot select the correct type (x|y, x|y|dy, x|y|dx|dy or x|y|dy1|dy2) in the "read as" line edit.

TeX label

With version 1.5.0 LabPlot supports rendering of Tex label using texvc.

If you compile LabPlot yourself you only need a ocaml compiler present. When using a binary version of LabPlot texvc is automatically used when found in your \$PATH.

For using TeX label you just have to activate the checkbox "TeX label" in the label dialog. With that every text you enter in the text box is rendered by texvc and plotted accordingly. Since this conversion takes some time you may see a certain delay when redrawing the plot.

Check out the "texlabel" example for getting a clue how it may look like.

Database import/export

LabPlot supports reading and writing data from a database using the KexiDB library. With KexiDB LabPlot can read and write data from PostgreSQL, MySQL, SQListe2+3. For importing data select "PostgreSQL, MySQL, etc." in the import dialog and browse through the database structure (tables and fields). For exporting data just select "DATABASE" in the export dialog and select the desired parameter.

multiple plots

Since version 1.3.0 LabPlot supports multiple plots on a worksheet. New plots can easily be added to a worksheet by choosing "New 2D Plot", "New 3D Plot", etc. A new plot is opened automatically when opening a function or data dialog for a plot with different type than the active plot. SO if you have an active 2d plot and select "New 3D Function" a new 3d plot is automatically added.

With the "Arrange Plots" item in the Appearance Menu you can easily arrange the plots on a worksheet. The grid for arranging the plots can be selected with numbers (like 2x2) and the distant between the plots and between a plot and the worksheet border can be set with the gap.

You can also arrange plots on a worksheet by hand. With dragging the border of a plot you can scale a plot as needed. When moving the mouse over the borders of a plot, you will see the corresponding arrows.

A whole plot can be moved by drag and drop when clicking in the center of a plot. You will see a cross arrow when reaching the center of a plot.

using date and time formats

When reading data in the data dialog you can specify the format for reading a column not only to double (default) but also to time and date. LabPlot uses Qt's `fromString()` function to convert a column to a valid date or time. So it really depends on that function what date and time formats are valid. It seems, when selecting "date", the format of the column needs to be YYYY-MM-DD.

In the axes dialog you can select 3 different formats for the tic label : date, time and datetime format. With "date" selected the values are evaluated as day since 1.1.1970. With "time" selected the values are evaluated as seconds. Finally with "datetime" the values are evaluated as seconds since 1.1.1970. You can specify the shown format of the tic label by specifying a certain string in the format line edit.

Since version 1.4.0 LabPlot can import data in datetime format too. Two different formats can be selected. The text format looks like the output of "date" (locale-specific changes should be no problem) and the ISO format in the format "YYYY-MM-DDTHH:MM:SS".

QWT 3D Plots

Since version 1.4.0 LabPlot uses the nice library `qwtplot3d` to realize a more sophisticated 3 dimensional plot. For compatibility reasons the simple 3D plot is still existing and still has some advantages over the 3D plot of QWT. But i would recommend to use the QWT 3D plot when possible.

The QWT 3D plot uses OpenGL so you can easily rotate, scale and shift the plot with the mouse. In the plot settings dialog (appearance menu) you can define more settings of this 3 dimensional plot.

Importing Origin OPJ files

Since many people are using the well known OriginLab Origin program LabPlot includes the feature to import Origin opj projects from versions ranging from 4.0 up to 7.5.

The OPJ file format is a proprietary file format so the import filter had to be developed by using reverse engineering techniques. This is the reason why it takes a lot of work to understand and convert Origin projects. Nonetheless with version 1.6.0 LabPlot supports all features of ORIGIN 7.5 projects using the latest version of `liborigin`.

If someone is willing to give some feedback and/or help i will continue to extend the features of this import filter.

XML project format

LabPlot 1.5.1 introduces a new project format based on XML. With some additions it should later comply with the OASIS standard.

The new XML format supports backward and forward compatibility and is much cleaner than the old LPL format. This format will be used in future releases as default project format and will replace the (old) LPL format Even though LabPlot will be able to read all old projects without any restriction.

Chapter 7. Parser functions

Table of Contents

standard function
 GSL special function
 GSL random number distributions
 constants
 GSL constants

The LabPlot parser allows you to use following functions:

standard function

Function	Description
$\text{acos}(x)$	Arc cosine
$\text{acosh}(x)$	Arc hyperbolic cosine
$\text{asin}(x)$	Arcsine
$\text{asinh}(x)$	Arc hyperbolic sine
$\text{atan}(x)$	Arctangent
$\text{atan2}(y,x)$	arc tangent function of two variables
$\text{atanh}(x)$	Arc hyperbolic tangent
$\text{beta}(a,b)$	Beta
$\text{cbrt}(x)$	Cube root
$\text{ceil}(x)$	Truncate upward to integer
$\text{chbevl}(x, \text{coef}, N)$	Evaluate Chebyshev series
$\text{chdtrc}(df,x)$	Complemented Chi square
$\text{chdtr}(df,x)$	Chi square distribution
$\text{chdtri}(df,y)$	Inverse Chi square
$\text{cos}(x)$	Cosine
$\text{cosh}(x)$	Hyperbolic cosine
$\text{cosm1}(x)$	$\text{cos}(x)-1$
$\text{dawsn}(x)$	Dawson's integral

Function	Description
drand()	Random value between 0..1
ellie(phi,m)	Incomplete elliptic integral (E)
ellik(phi,m)	Incomplete elliptic integral (E)
ellpe(x)	Complete elliptic integral (E)
ellpk(x)	Complete elliptic integral (K)
exp(x)	Exponential, base e
expm1(x)	exp(x)-1
expn(n,x)	Exponential integral
fabs(x)	Absolute value
fac(i)	Factorial
fdtrc(ia,ib,x)	Complemented F
fdtr(ia,ib,x)	F distribution
fdtri(ia,ib,y)	Inverse F distribution
gdtr(a,b,x)	Gamma distribution
gdtrc(a,b,x)	Complemented gamma
hyp2f1(a,b,c,x)	Gauss hypergeometric function
hyperg(a,b,x)	Confluent hypergeometric 1F1
i0(x)	Modified Bessel, order 0
i0e(x)	Exponentially scaled i0
i1(x)	Modified Bessel, order 1
i1e(x)	Exponentially scaled i1
igamc(a,x)	Complemented gamma integral
igam(a,x)	Incomplete gamma integral
igami(a,y0)	Inverse gamma integral
incbet(aa,bb,xx)	Incomplete beta integral
incbi(aa,bb,yy0)	Inverse beta integral
iv(v,x)	Modified Bessel, nonint. order
j0(x)	Bessel, order 0
j1(x)	Bessel, order 1

Function	Description
jn(n,x)	Bessel, order n
jv(n,x)	Bessel, noninteger order
k0(x)	Mod. Bessel, 3rd kind, order 0
k0e(x)	Exponentially scaled k0
k1(x)	Mod. Bessel, 3rd kind, order 1
k1e(x)	Exponentially scaled k1
kn(nn,x)	Mod. Bessel, 3rd kind, order n
lbeta(a,b)	Natural log of beta
ldexp(x,exp)	multiply floating-point number by integral power of 2
log(x)	Logarithm, base e
log10(x)	Logarithm, base 10
logb(x)	radix-independant exponent
log1p(x)	log(1+x)
ndtr(x)	Normal distribution
ndtri(x)	Inverse normal distribution
pdtrc(k,m)	Complemented Poisson
pdtr(k,m)	Poisson distribution
pdtri(k,y)	Inverse Poisson distribution
pow(x,y)	power function
psi(x)	Psi (digamma) function
rand()	Random value between 0..RAND_MAX
random()	Random value between 0..RAND_MAX
rgamma(x)	Reciprocal Gamma
rint(x)	round to nearest integer
sin(x)	Sine
sinh(x)	Hyperbolic sine
spence(x)	Dilogarithm
sqrt(x)	Square root
stdtr(k,t)	Student's t distribution

Function	Description
stdtri(k,p)	Inverse student's t distribution
struve(v,x)	Struve function
tan(x)	Tangent
tanh(x)	Hyperbolic tangent
true_gamma(x)	true gamma
y0(x)	Bessel, second kind, order 0
y1(x)	Bessel, second kind, order 1
yn(n,x)	Bessel, second kind, order n
yv(v,x)	Bessel, noninteger order
zeta(x,y)	Riemann Zeta function
zetac(x)	Two argument zeta function

GSL special function

For more information about the functions see the documentation of GSL.

Function	Description
gsl_log1p(x)	$\log(1+x)$
gsl_expm1(x)	$\exp(x)-1$
gsl_hypot(x,y)	$\sqrt{x^2 + y^2}$
gsl_acosh(x)	$\operatorname{arccosh}(x)$
gsl_asinh(x)	$\operatorname{arcsinh}(x)$
gsl_atanh(x)	$\operatorname{arctanh}(x)$
airy_Ai(x)	Airy function $Ai(x)$
airy_Bi(x)	Airy function $Bi(x)$
airy_Ais(x)	scaled version of the Airy function $S_A(x) Ai(x)$
airy_Bis(x)	scaled version of the Airy function $S_B(x) Bi(x)$
airy_Aid(x)	Airy function derivative $Ai'(x)$
airy_Bid(x)	Airy function derivative $Bi'(x)$
airy_Aids(x)	derivative of the scaled Airy function $S_A(x) Ai(x)$
airy_Bids(x)	derivative of the scaled Airy function $S_B(x) Bi(x)$

Function	Description
airy_0_Ai(s)	s-th zero of the Airy function Ai(x)
airy_0_Bi(s)	s-th zero of the Airy function Bi(x)
airy_0_Aid(s)	s-th zero of the Airy function derivative Ai'(x)
airy_0_Bid(s)	s-th zero of the Airy function derivative Bi'(x)
bessel_JJ0(x)	regular cylindrical Bessel function of zeroth order, J_0(x)
bessel_JJ1(x)	regular cylindrical Bessel function of first order, J_1(x)
bessel_Jn(n,x)	regular cylindrical Bessel function of order n, J_n(x)
bessel_YY0(x)	irregular cylindrical Bessel function of zeroth order, Y_0(x)
bessel_YY1(x)	irregular cylindrical Bessel function of first order, Y_1(x)
bessel_Yn(n,x)	irregular cylindrical Bessel function of order n, Y_n(x)
bessel_I0(x)	regular modified cylindrical Bessel function of zeroth order, I_0(x)
bessel_I1(x)	regular modified cylindrical Bessel function of first order, I_1(x)
bessel_In(n,x)	regular modified cylindrical Bessel function of order n, I_n(x)
bessel_I0s(x)	scaled regular modified cylindrical Bessel function of zeroth order, exp(- x) I_0(x)
bessel_I1s(x)	scaled regular modified cylindrical Bessel function of first order, exp(- x) I_1(x)
bessel_Ins(n,x)	scaled regular modified cylindrical Bessel function of order n, exp(- x) I_n(x)
bessel_K0(x)	irregular modified cylindrical Bessel function of zeroth order, K_0(x)
bessel_K1(x)	irregular modified cylindrical Bessel function of first order, K_1(x)
bessel_Kn(n,x)	irregular modified cylindrical Bessel function of order n, K_n(x)
bessel_KK0s(x)	scaled irregular modified cylindrical Bessel function of zeroth order, exp(x) K_0(x)
bessel_KK1s(x)	scaled irregular modified cylindrical Bessel function of first order, exp(x) K_1(x)
bessel_Kns(n,x)	scaled irregular modified cylindrical Bessel function of order n, exp(x) K_n(x)
bessel_j0(x)	regular spherical Bessel function of zeroth order, j_0(x)
bessel_j1(x)	regular spherical Bessel function of first order, j_1(x)
bessel_j2(x)	regular spherical Bessel function of second order, j_2(x)
bessel_jl(l,x)	regular spherical Bessel function of order l, j_l(x)

Function	Description
bessel_y0(x)	irregular spherical Bessel function of zeroth order, $y_0(x)$
bessel_y1(x)	irregular spherical Bessel function of first order, $y_1(x)$
bessel_y2(x)	irregular spherical Bessel function of second order, $y_2(x)$
bessel_y1(l,x)	irregular spherical Bessel function of order l, $y_l(x)$
bessel_i0s(x)	scaled regular modified spherical Bessel function of zeroth order, $\exp(- x) i_0(x)$
bessel_i1s(x)	scaled regular modified spherical Bessel function of first order, $\exp(- x) i_1(x)$
bessel_i2s(x)	scaled regular modified spherical Bessel function of second order, $\exp(- x) i_2(x)$
bessel_ils(l,x)	scaled regular modified spherical Bessel function of order l, $\exp(- x) i_l(x)$
bessel_k0s(x)	scaled irregular modified spherical Bessel function of zeroth order, $\exp(x) k_0(x)$
bessel_k1s(x)	scaled irregular modified spherical Bessel function of first order, $\exp(x) k_1(x)$
bessel_k2s(x)	scaled irregular modified spherical Bessel function of second order, $\exp(x) k_2(x)$
bessel_kls(l,x)	scaled irregular modified spherical Bessel function of order l, $\exp(x) k_l(x)$
bessel_Jnu(nu,x)	regular cylindrical Bessel function of fractional order nu, $J_{\nu}(x)$
bessel_Ynu(nu,x)	irregular cylindrical Bessel function of fractional order nu, $Y_{\nu}(x)$
bessel_Inu(nu,x)	regular modified Bessel function of fractional order nu, $I_{\nu}(x)$
bessel_Inus(nu,x)	scaled regular modified Bessel function of fractional order nu, $\exp(- x) I_{\nu}(x)$
bessel_Knu(nu,x)	irregular modified Bessel function of fractional order nu, $K_{\nu}(x)$
bessel_lnKnu(nu,x)	logarithm of the irregular modified Bessel function of fractional order nu, $\ln(K_{\nu}(x))$
bessel_Knus(nu,x)	scaled irregular modified Bessel function of fractional order nu, $\exp(x) K_{\nu}(x)$
bessel_0_J0(s)	s-th positive zero of the Bessel function $J_0(x)$
bessel_0_J1(s)	s-th positive zero of the Bessel function $J_1(x)$
bessel_0_Jnu(nu,s)	s-th positive zero of the Bessel function $J_{\nu}(x)$
clausen(x)	Clausen integral $Cl_2(x)$

Function	Description
hydrogenicR_1(Z,R)	lowest-order normalized hydrogenic bound state radial wavefunction $R_{1,1} := 2Z \sqrt{Z} \exp(-Z r)$
hydrogenicR(n,l,Z,R)	n-th normalized hydrogenic bound state radial wavefunction
dawson(x)	Dawson's integral
debye_1(x)	first-order Debye function $D_1(x) = (1/x) \int_0^x dt (t/(e^t - 1))$
debye_2(x)	second-order Debye function $D_2(x) = (2/x^2) \int_0^x dt (t^2/(e^t - 1))$
debye_3(x)	third-order Debye function $D_3(x) = (3/x^3) \int_0^x dt (t^3/(e^t - 1))$
debye_4(x)	fourth-order Debye function $D_4(x) = (4/x^4) \int_0^x dt (t^4/(e^t - 1))$
dilog(x)	dilogarithm
ellint_Kc(k)	complete elliptic integral K(k)
ellint_Ec(k)	complete elliptic integral E(k)
ellint_F(phi,k)	incomplete elliptic integral F(phi,k)
ellint_E(phi,k)	incomplete elliptic integral E(phi,k)
ellint_P(phi,k,n)	incomplete elliptic integral P(phi,k,n)
ellint_D(phi,k,n)	incomplete elliptic integral D(phi,k,n)
ellint_RC(x,y)	incomplete elliptic integral RC(x,y)
ellint_RD(x,y,z)	incomplete elliptic integral RD(x,y,z)
ellint_RF(x,y,z)	incomplete elliptic integral RF(x,y,z)
ellint_RJ(x,y,z)	incomplete elliptic integral RJ(x,y,z,p)
gsl_erf(x)	error function $\text{erf}(x) = (2/\sqrt{\pi}) \int_0^x dt \exp(-t^2)$
gsl_erfc(x)	complementary error function $\text{erfc}(x) = 1 - \text{erf}(x) = (2/\sqrt{\pi}) \int_x^\infty \exp(-t^2)$
log_erfc(x)	logarithm of the complementary error function $\log(\text{erfc}(x))$
erf_Z(x)	Gaussian probability function $Z(x) = (1/(2\pi)) \exp(-x^2/2)$
erf_Q(x)	upper tail of the Gaussian probability function $Q(x) = (1/(2\pi)) \int_x^\infty dt \exp(-t^2/2)$
gsl_exp(x)	exponential function
exprel(x)	$(\exp(x)-1)/x$ using an algorithm that is accurate for small x
exprel_2(x)	$2(\exp(x)-1-x)/x^2$ using an algorithm that is accurate for small x

Function	Description
exprel_n(n,x)	n-relative exponential, which is the n-th generalization of the functions 'gsl_sf_exprel'
exp_int_E1(x)	exponential integral E_1(x), $E_1(x) := \operatorname{Re} \int_1^\infty dt \exp(-xt)/t$
exp_int_E2(x)	second-order exponential integral E_2(x), $E_2(x) := \operatorname{Re} \int_1^\infty dt \exp(-xt)/t^2$
exp_int_Ei(x)	exponential integral E_i(x), $E_i(x) := \operatorname{PV}(\int_{-x}^\infty dt \exp(-t)/t)$
shi(x)	$\operatorname{Shi}(x) = \int_0^x dt \sinh(t)/t$
chi(x)	integral $\operatorname{Chi}(x) := \operatorname{Re}[\gamma_E + \log(x) + \int_0^x dt (\cosh[t]-1)/t]$
expint_3(x)	exponential integral $Ei_3(x) = \int_0^x dt \exp(-t^3)$ for $x \geq 0$
si(x)	Sine integral $\operatorname{Si}(x) = \int_0^x dt \sin(t)/t$
ci(x)	Cosine integral $\operatorname{Ci}(x) = -\int_x^\infty dt \cos(t)/t$ for $x > 0$
atanint(x)	Arctangent integral $\operatorname{AtanInt}(x) = \int_0^x dt \arctan(t)/t$
fermi_dirac_m1(x)	complete Fermi-Dirac integral with an index of -1, $F_{-1}(x) = e^x / (1 + e^x)$
fermi_dirac_0(x)	complete Fermi-Dirac integral with an index of 0, $F_0(x) = \ln(1 + e^x)$
fermi_dirac_1(x)	complete Fermi-Dirac integral with an index of 1, $F_1(x) = \int_0^\infty dt (t / (\exp(t-x)+1))$
fermi_dirac_2(x)	complete Fermi-Dirac integral with an index of 2, $F_2(x) = (1/2) \int_0^\infty dt (t^2 / (\exp(t-x)+1))$
fermi_dirac_int(j,x)	complete Fermi-Dirac integral with an index of j, $F_j(x) = (1/\Gamma(j+1)) \int_0^\infty dt (t^j / (\exp(t-x)+1))$
fermi_dirac_mhalf(x)	complete Fermi-Dirac integral $F_{-1/2}(x)$
fermi_dirac_half(x)	complete Fermi-Dirac integral $F_{1/2}(x)$
fermi_dirac_3half(x)	complete Fermi-Dirac integral $F_{3/2}(x)$
fermi_dirac_inc_0(x,b)	incomplete Fermi-Dirac integral with an index of zero, $F_0(x,b) = \ln(1 + e^{b-x}) - (b-x)$
gamma(x)	Gamma function
lngamma(x)	logarithm of the Gamma function
gammastar(x)	regulated Gamma Function $\Gamma^*(x)$ for $x > 0$
gammainv(x)	reciprocal of the gamma function, $1/\Gamma(x)$ using the real Lanczos method.
taylorcoeff(n,x)	Taylor coefficient $x^n / n!$ for $x \geq 0$

Function	Description
fact(n)	factorial n!
doublefact(n)	double factorial $n!! = n(n-2)(n-4)\dots$
lnfact(n)	logarithm of the factorial of n, $\log(n!)$
lndoublefact(n)	logarithm of the double factorial $\log(n!!)$
choose(n,m)	combinatorial factor 'n choose m' = $n!/(m!(n-m)!)$
lnchoose(n,m)	logarithm of 'n choose m'
poch(a,x)	Pochhammer symbol $(a)_x := \Gamma(a+x)/\Gamma(a)$
lnpoch(a,x)	logarithm of the Pochhammer symbol $(a)_x := \Gamma(a+x)/\Gamma(a)$
pochrel(a,x)	relative Pochhammer symbol $((a)_x - 1)/x$ where $(a)_x = (a)_x := \Gamma(a+x)/\Gamma(a)$
gamma_inc_Q(a,x)	normalized incomplete Gamma Function $P(a,x) = 1/\Gamma(a) \int_0^x t^{a-1} \exp(-t) dt$ for $a > 0, x \geq 0$
gamma_inc_P(a,x)	complementary normalized incomplete Gamma Function $P(a,x) = 1/\Gamma(a) \int_0^x t^{a-1} \exp(-t) dt$ for $a > 0, x \geq 0$
gsl_beta(a,b)	Beta Function, $B(a,b) = \Gamma(a) \Gamma(b) / \Gamma(a+b)$ for $a > 0, b > 0$
lnbeta(a,b)	logarithm of the Beta Function, $\log(B(a,b))$ for $a > 0, b > 0$
betainc(a,b,x)	normalize incomplete Beta function $B_x(a,b)/B(a,b)$ for $a > 0, b > 0$
gegenpoly_1(lambda,x)	Gegenbauer polynomial $C^{\lambda}_1(x)$
gegenpoly_2(lambda,x)	Gegenbauer polynomial $C^{\lambda}_2(x)$
gegenpoly_3(lambda,x)	Gegenbauer polynomial $C^{\lambda}_3(x)$
gegenpoly_n(n,lambda,x)	Gegenbauer polynomial $C^{\lambda}_n(x)$
hyperg_0F1(c,x)	hypergeometric function ${}_0F_1(c,x)$
hyperg_1F1i(m,n,x)	confluent hypergeometric function ${}_1F_1(m,n,x) = M(m,n,x)$ for integer parameters m, n
hyperg_1F1(a,b,x)	confluent hypergeometric function ${}_1F_1(m,n,x) = M(m,n,x)$ for general parameters a,b
hyperg_Ui(m,n,x)	confluent hypergeometric function $U(m,n,x)$ for integer parameters m,n
hyperg_U(a,b,x)	confluent hypergeometric function $U(a,b,x)$
hyperg_2F1(a,b,c,x)	Gauss hypergeometric function ${}_2F_1(a,b,c,x)$

Function	Description
hyperg_2F1c(ar,ai,c,x)	Gauss hypergeometric function ${}_2F_1(a_R + i a_I, a_R - i a_I, c, x)$ with complex parameters
hyperg_2F1r(ar,ai,c,x)	renormalized Gauss hypergeometric function ${}_2F_1(a,b,c,x) / \Gamma(c)$
hyperg_2F1cr(ar,ai,c,x)	renormalized Gauss hypergeometric function ${}_2F_1(a_R + i a_I, a_R - i a_I, c, x) / \Gamma(c)$
hyperg_2F0(a,b,x)	hypergeometric function ${}_2F_0(a,b,x)$
laguerre_1(a,x)	generalized Laguerre polynomials $L^a_1(x)$
laguerre_2(a,x)	generalized Laguerre polynomials $L^a_2(x)$
laguerre_3(a,x)	generalized Laguerre polynomials $L^a_3(x)$
lambert_W0(x)	principal branch of the Lambert W function, $W_0(x)$
lambert_Wm1(x)	secondary real-valued branch of the Lambert W function, $W_{-1}(x)$
legendre_P1(x)	Legendre polynomials $P_1(x)$
legendre_P2(x)	Legendre polynomials $P_2(x)$
legendre_P3(x)	Legendre polynomials $P_3(x)$
legendre_Pl(l,x)	Legendre polynomials $P_l(x)$
legendre_Q0(x)	Legendre polynomials $Q_0(x)$
legendre_Q1(x)	Legendre polynomials $Q_1(x)$
legendre_Ql(l,x)	Legendre polynomials $Q_l(x)$
legendre_Plm(l,m,x)	associated Legendre polynomial $P_l^m(x)$
legendre_sphPlm(l,m,x)	normalized associated Legendre polynomial $\sqrt{\frac{(2l+1)}{4\pi}} \sqrt{\frac{(l-m)!}{(l+m)!}} P_l^m(x)$ suitable for use in spherical harmonics
conicalP_half(lambda,x)	irregular Spherical Conical Function $P^{1/2}_{-1/2 + i \lambda}(x)$ for $x > -1$
conicalP_mhalf(lambda,x)	regular Spherical Conical Function $P^{-1/2}_{-1/2 + i \lambda}(x)$ for $x > -1$
conicalP_0(lambda,x)	conical function $P^0_{-1/2 + i \lambda}(x)$ for $x > -1$
conicalP_1(lambda,x)	conical function $P^1_{-1/2 + i \lambda}(x)$ for $x > -1$
conicalP_sphreg(l,lambda,x)	Regular Spherical Conical Function $P^{-1/2-1}_{-1/2 + i \lambda}(x)$ for $x > -1, l \geq -1$
conicalP_cylreg(l,lambda,x)	Regular Cylindrical Conical Function $P^{-m}_{-1/2 + i \lambda}(x)$ for $x > -1, m \geq -1$

Function	Description
legendre_H3d_0(lambda,eta)	zeroth radial eigenfunction of the Laplacian on the 3-dimensional hyperbolic space, $L^{\{H3d\}}_0(\lambda,\eta) := \frac{\sin(\lambda \eta)}{\lambda \sinh(\eta)}$ for $\eta \geq 0$
legendre_H3d_1(lambda,eta)	zeroth radial eigenfunction of the Laplacian on the 3-dimensional hyperbolic space, $L^{\{H3d\}}_1(\lambda,\eta) := \frac{1}{\sqrt{\lambda^2 + 1}} \frac{\sin(\lambda \eta)}{\lambda \sinh(\eta)} (\coth(\eta) - \lambda \cot(\lambda \eta))$ for $\eta \geq 0$
legendre_H3d(l,lambda,eta)	L'th radial eigenfunction of the Laplacian on the 3-dimensional hyperbolic space $\eta \geq 0, l \geq 0$
gsl_log(x)	logarithm of X
loga(x)	logarithm of the magnitude of X, $\log(x)$
logp(x)	$\log(1 + x)$ for $x > -1$ using an algorithm that is accurate for small x
logm(x)	$\log(1 + x) - x$ for $x > -1$ using an algorithm that is accurate for small x
gsl_pow(x,n)	power x^n for integer n
psii(n)	digamma function $\psi(n)$ for positive integer n
psi(x)	digamma function $\psi(x)$ for general x
psiy(y)	real part of the digamma function on the line $1+iy$, $\text{Re}[\psi(1 + iy)]$
ps1i(n)	Trigamma function $\psi'(n)$ for positive integer n
ps_n(m,x)	polygamma function $\psi^{(m)}(x)$ for $m \geq 0, x > 0$
synchrotron_1(x)	first synchrotron function $x \int_0^\infty dt K_{5/3}(t)$ for $x \geq 0$
synchrotron_2(x)	second synchrotron function $x K_{2/3}(x)$ for $x \geq 0$
transport_2(x)	transport function $J(2,x)$
transport_3(x)	transport function $J(3,x)$
transport_4(x)	transport function $J(4,x)$
transport_5(x)	transport function $J(5,x)$
hypot(x,y)	hypotenuse function $\sqrt{x^2 + y^2}$
sinc(x)	$\text{sinc}(x) = \frac{\sin(\pi x)}{\pi x}$
lnsinh(x)	$\log(\sinh(x))$ for $x > 0$
lncosh(x)	$\log(\cosh(x))$
zetai(n)	Riemann zeta function $\zeta(n)$ for integer N
gsl_zeta(s)	Riemann zeta function $\zeta(s)$ for arbitrary s
hzeta(s,q)	Hurwitz zeta function $\zeta(s,q)$ for $s > 1, q > 0$

Function	Description
etai(n)	eta function eta(n) for integer n
eta(s)	eta function eta(s) for arbitrary s

GSL random number distributions

For more information about the functions see the documentation of GSL.

Function	Description
gaussian(x,sigma)	probability density $p(x)$ at X for a Gaussian distribution with standard deviation $SIGMA$
ugaussian(x)	unit Gaussian distribution. They are equivalent to the functions above with a standard deviation of one, $SIGMA = 1$
gaussian_tail(x,a,sigma)	probability density $p(x)$ at X for a Gaussian tail distribution with standard deviation $SIGMA$ and lower limit A
ugaussian_tail(x,a)	tail of a unit Gaussian distribution. They are equivalent to the functions above with a standard deviation of one, $SIGMA = 1$
bivariate_gaussian(x,y,sigma_x,sigma_y,rho)	probability density $p(x,y)$ at (X,Y) for a bivariate gaussian distribution with standard deviations $SIGMA_X$, $SIGMA_Y$ and correlation coefficient RHO
exponential(x,mu)	probability density $p(x)$ at X for an exponential distribution with mean MU
laplace(x,a)	probability density $p(x)$ at X for a Laplace distribution with mean A
exppow(x,a,b)	probability density $p(x)$ at X for an exponential power distribution with scale parameter A and exponent B
cauchy(x,a)	probability density $p(x)$ at X for a Cauchy distribution with scale parameter A
rayleigh(x,sigma)	probability density $p(x)$ at X for a Rayleigh distribution with scale parameter $SIGMA$
rayleigh_tail(x,a,sigma)	probability density $p(x)$ at X for a Rayleigh tail distribution with scale parameter $SIGMA$ and lower limit A
landau(x)	probability density $p(x)$ at X for the Landau distribution

Function	Description
gamma_pdf(x,a,b)	probability density $p(x)$ at X for a gamma distribution with parameters A and B
flat(x,a,b)	probability density $p(x)$ at X for a uniform distribution from A to B
lognormal(x,zeta,sigma)	probability density $p(x)$ at X for a lognormal distribution with parameters $ZETA$ and $SIGMA$
chisq(x,nu)	probability density $p(x)$ at X for a chi-squared distribution with NU degrees of freedom
fdist(x,nu1,nu2)	probability density $p(x)$ at X for an F-distribution with $NU1$ and $NU2$ degrees of freedom
tdist(x,nu)	probability density $p(x)$ at X for a t-distribution with NU degrees of freedom
beta_pdf(x,a,b)	probability density $p(x)$ at X for a beta distribution with parameters A and B
logistic(x,a)	probability density $p(x)$ at X for a logistic distribution with scale parameter A
pareto(x,a,b)	probability density $p(x)$ at X for a Pareto distribution with exponent A and scale B
weibull(x,a,b)	probability density $p(x)$ at X for a Weibull distribution with scale A and exponent B
gumbel1(x,a,b)	probability density $p(x)$ at X for a Type-1 Gumbel distribution with parameters A and B
gumbel2(x,a,b)	probability density $p(x)$ at X for a Type-2 Gumbel distribution with parameters A and B
poisson(k,mu)	probability $p(k)$ of obtaining K from a Poisson distribution with mean μ
bernoulli(k,p)	probability $p(k)$ of obtaining K from a Bernoulli distribution with probability parameter P
binomial(k,p,n)	probability $p(k)$ of obtaining K from a binomial distribution with parameters P and N
negative_binomial(k,p,n)	probability $p(k)$ of obtaining K from a negative binomial distribution with parameters P and N
pascal(k,p,n)	probability $p(k)$ of obtaining K from a Pascal distribution with parameters P and N
geometric(k,p)	probability $p(k)$ of obtaining K from a geometric distribution with probability parameter P

Function	Description
hypergeometric(k,n1,n2,t)	probability p(k) of obtaining K from a hypergeometric distribution with parameters N1, N2, N3
logarithmic(k,p)	probability p(k) of obtaining K from a logarithmic distribution with probability parameter P

constants

Constant	Description
PI1	1/pi
PI2	2/pi
PISQRT2	2/sqrt(pi)
E	e
LN2	log_e 2
LN10	log_e 10
LOG2E	log_2 e
LOG10E	log_10 e
PI	pi
PI_2	pi/2
PI_4	pi/4
SQRT2	sqrt(2)
SQRT1_2	1/sqrt(2)

GSL constants

For more information about this constants see the documentation of GSL.

Constant	Description
c	The speed of light in vacuum
mu0	The permeability of free space
e0	The permittivity of free space
Na	Avogadro's number
F	The molar charge of 1 Faraday

Constant	Description
k	The Boltzmann constant
R0	The molar gas constant
V0	The standard gas volume
Gauss	The magnetic field of 1 Gauss
mu	The length of 1 micron
ha	The area of 1 hectare
mph	The speed of 1 mile per hour
kmh	The speed of 1 kilometer per hour
au	The length of 1 astronomical unit (mean earth-sun distance)
G	The gravitational constant
ly	The distance of 1 light-year
pc	The distance of 1 parsec
g	The standard gravitational acceleration on Earth
ms	The mass of the Sun
e	The charge of the electron
eV	The energy of 1 electron volt
amu	The unified atomic mass
me	The mass of the electron
mmu	The mass of the muon
mp	The mass of the proton
mn	The mass of the neutron
alpha	The electromagnetic fine structure constant
Ry	The Rydberg constant
a0	The Bohr radius
A	The length of 1 angstrom
barn	The area of 1 barn
muB	The Bohr Magneton
muN	The Nuclear Magneton
mue	The magnetic moment of the electron

Constant	Description
mup	The magnetic moment of the proton
min	The number of seconds in 1 minute
h	The number of seconds in 1 hour
d	The number of seconds in 1 day
week	The number of seconds in 1 week
in	The length of 1 inch
ft	The length of 1 foot
yard	The length of 1 yard
mile	The length of 1 mile
mil	The length of 1 mil (1/1000th of an inch)
nmile	The length of 1 nautical mile
fathom	The length of 1 fathom
knot	The speed of 1 knot
pt	The length of 1 printer's point (1/72 inch)
texpt	The length of 1 TeX point (1/72.27 inch)
acre	The area of 1 acre
ltr	The volume of 1 liter
us_gallon	The volume of 1 US gallon
can_gallon	The volume of 1 Canadian gallon
uk_gallon	The volume of 1 UK gallon
quart	The volume of 1 quart
pint	The volume of 1 pint
pound	The mass of 1 pound
ounce	The mass of 1 ounce
ton	The mass of 1 ton
mton	The mass of 1 metric ton (1000 kg)
uk_ton	The mass of 1 UK ton
troy_ounce	The mass of 1 troy ounce
carat	The mass of 1 carat

Constant	Description
gram_force	The force of 1 gram weight
pound_force	The force of 1 pound weight
kilopound_force	The force of 1 kilopound weight
poundal	The force of 1 poundal
cal	The energy of 1 calorie
btu	The energy of 1 British Thermal Unit
therm	The energy of 1 Therm
hp	The power of 1 horsepower
bar	The pressure of 1 bar
atm	The pressure of 1 standard atmosphere
torr	The pressure of 1 torr
mhg	The pressure of 1 meter of mercury
inhg	The pressure of 1 inch of mercury
inh ₂ o	The pressure of 1 inch of water
psi	The pressure of 1 pound per square inch
poise	The dynamic viscosity of 1 poise
stokes	The kinematic viscosity of 1 stokes
stilb	The luminance of 1 stilb
lumen	The luminous flux of 1 lumen
lux	The illuminance of 1 lux
phot	The illuminance of 1 phot
ftcandle	The illuminance of 1 footcandle
lambert	The luminance of 1 lambert
ftlambert	The luminance of 1 footlambert
curie	The activity of 1 curie
roentgen	The exposure of 1 roentgen
rad	The absorbed dose of 1 rad

The following constants are the same constants in cgs system :

Constant	Description
c_cgs	
G_cgs	
h_cgs	
hbar_cgs	
mu0_cgs	
au_cgs	
ly_cgs	
pc_cgs	
g_cgs	
eV_cgs	
me_cgs	
mmu_cgs	
mp_cgs	
mn_cgs	
Ry_cgs	
k_cgs	
muB_cgs	
muN_cgs	
mue_cgs	
mup_cgs	
R0_cgs	
V0_cgs	
in_cgs	
ft_cgs	
yard_cgs	
mile_cgs	
nile_cgs	
fathom_cgs	
mil_cgs	

Constant	Description
pt_cgs	
texpt_cgs	
mu_cgs	
A_cgs	
ha_cgs	
acre_cgs	
barn_cgs	
ltr_cgs	
us_gallon_cgs	
quart_cgs	
pint_cgs	
cup_cgs	
fluid_ounces_cgs	
tablespoon_cgs	
teaspoon_cgs	
can_gallon_cgs	
uk_gallon_cgs	
mph_cgs	
kmh_cgs	
knot_cgs	
pound_cgs	
ounces_cgs	
ton_cgs	
mton_cgs	
uk_ton_cgs	
troy_ounce_cgs	
carat_cgs	
amu_cgs	
gram_cgs	

Constant	Description
pound_force_cgs	
kilopound_force_cgs	
poundal_cgs	
cal_cgs	
btu_cgs	
therm_cgs	
hp_cgs	
bar_cgs	
atm_cgs	
torr_cgs	
mhg_cgs	
inhg_cgs	
inh2o_cgs	
psi_cgs	
poise_cgs	
stokes_cgs	
F_cgs	
e_cgs	
G_cgs	
stilb_cgs	
lumen_cgs	
lux_cgs	
phot_cgs	
ftcandle_cgs	
lambert_cgs	
ftlambert_cgs	
curie_cgs	
roentgen_cgs	
rad_cgs	

Constant	Description
sm_cgs	
a0_cgs	
e0_cgs	

Chapter 8. Scripting

Table of Contents

QSA

- Using Scripts
- Specials

This chapter explains the scripting interface of LabPlot that can help you to automate your work. With the use of the scripting interface you can get very productive and simplify your work when doing the same things often. With the knowledge of this interface you are able to completely control LabPlot remotely .

QSA

LabPlot uses Qt? Script for Applications (QSA) developed by Trolltech, Inc. It is released under two different licenses - one commercial (that costs an arm and a leg) and the other GPL (free for download). The GPL version has some restrictions that are applicable to the case of a commercially developed application.

Of course LabPlot needs to be build with QSA support. For KDE 3 (based on Qt? 3) you need version 1.1.X of QSA.

Using Scripts

Scripts are small files that contain instructions to be executed. Since LabPlot can interpret such scripts it can be automated using this. Scripts can be created and edited with your favorite text editor or by using the QSA Workbench (Can be found in the LabPlot menu under "Script->QSA Workbench..."). If the icons in the Workbench are missing check out the Workbench Chapter.

To execute a script you can call **LabPlot script.qs** from the commandline or drag and drop a script on the desktop into LabPlot. You can also use the dialog "Script->Open Script" in LabPlot to execute a script.

LabPlot is divided into a bunch of classes. For most scripting needs, you need to know only a few of them. For every operation you just call the corresponding function on the LabPlot classes. All available functions can be found in the classes reference at http://cvs.sourceforge.net/viewcvs.py/*checkout*/labplot/doc/html/hierarchy.html.

All MainWin functions can be called directly. Let start with

```
importData("sample.dat");
```

This simply imports the data file "sample.dat" into a Spreadsheet in LabPlot. You can see it in the screenshot.

import

If you now want to work with the Spreadsheet you have to call the corresponding Spreadsheet function. Let's say we want to make a 2D Plot

```
importData("sample.dat");
s = activeSpreadsheet();
s.plot2DSimple();
```

The result is

plot

Now we want to work on the Plot. We have to get the Worksheet and the active Plot of it. The script looks like that:

```
importData("sample.dat");
s = activeSpreadsheet();
s.plot2DSimple();
w = activeWorksheet();
p = w.get2DPlot(w.API());
p.setBackground("green");
w.redraw();
```

With the result that we have a green background

green

A complete script that imports data and changes some settings before saving the result as EPS would look like this:

```
importData("sample-data/sin.dat");

s = activeSpreadsheet();
s.plot2DSimple();

w = activeWorksheet();
p = w.get2DPlot(w.API());

p.setBackground("green");
p.setGraphBackground("lightblue");

r = p.ActRange(0);
r.setRange(250, 750);
r = p.ActRange(1);
r.setRange(-2, 2);

l = p.getLegend();
```

```

l.setPosition(.5,.4);

t = p.Title();
t.setTitle("example title");
t.setRotation(10);

a = p.getAxis(0);
a.enableMajorGrid();
ll = a.getLabel();
ll.setTitle("different x axis");
font = new Font("SanSerif");
a.setTickLabelFont(font);

p.setMarksEnabled();
mark = p.markX();
mark.setRange(450,550);

p.setRegionEnabled();
p.setRegion(350,650);

// w.redraw();

exportEPS("export.eps");
exit();

```

The used functions should be quite self-explanatory. the resulting EPS then looks like that

session

This is basically all you need to know about writing scripts. More examples can be found in the directory examples/scripts/ of the source distribution or in the data directory of LabPlot.

Specials

For a detailed description of the QSA syntax check out the QSA documentation. All enumerations available in LabPlot can also be used in Scripts, check out the global script labplot.qs.

With QSA it is also possible to use dialogs to enter filenames, etc. . The following example uses a dialog to enter a data file name:

```

d = new ImportDialog();

var filename = FileDialog.getOpenFileName( "*.dat" );
if (filename) {
    d.setFilename(filename);
    d.Apply();
}

```

Chapter 9. Examples

In this chapter you will find explanations of the example projects of LabPlot. You can find all the examples under Help->Examples except specified

Table 9.1. Example Projects for LabPlot

Screenshot	Name	Description
[IMAGE]	axes label	this example shows how to use different axes label. The shown function is filled to the baseline.
[IMAGE]	Rydberg spectra	this example shows a Rydberg spectra measured by photoexcitation of metastable helium in a magneto optical trap.
[IMAGE]	log axis scale	this example uses logarithmic axis scales with custom tic label
[IMAGE]	audio data	this example shows data read from an audio file
[IMAGE]	marker	this example shows a usage of marker
[IMAGE]	TeX label	this example uses a TeX label
[IMAGE]	analysis	this example shows the difference between the three analysis functions prune, average and smooth. Here you can see different styles and symbols for showing data.
[IMAGE]	simple fft	this example shows how a simple fourier transform might look like.
[IMAGE]	histogram	this example shows a sample histogram of a periodic function.
[IMAGE]	nonlinear fitting	this example shows a nonlinear lorentzian fit of a sample data set in a specified region.
[IMAGE]	exponential fit	this example shows how an exponential fit of sample data should look like.
[IMAGE]	log fit	this example shows an exponential fit inside a logarithmic plot.
[IMAGE]	surface	this example shows a simple surface plot with density and contour plot of a used defined function. The color palette is chosen to nicely show the function values.
[IMAGE]	surface style	this example shows the same data set as surface plot in different styles.

[IMAGE]	3d	this example shows a simple 3 dimensional plot created from a function.
[IMAGE]	drawing objects	this example shows how to use drawing objects in LabPlot.
[IMAGE]	images	this example shows a surface plot created from an image file (utm.xpm).
[IMAGE]	pie plot	this example shows a simple pie plot created from two dimensional data
[IMAGE]	bar plot	this example shows the usage of the bar style for x and y ranges.
[IMAGE]	multiple plots	this example shows the usage of multiple plots per worksheet. Here you can see four different types of plot arranged 2x2 with gap=0.05.
[IMAGE]	QWT 3D plot	this example shows the usage of a QWT 3 dimensional plot. This example uses a customized colormap and the "flooriso" style to make the contour lines on the floor.
[IMAGE]	another surface plot	this is another example for a surface plot. This example shows how logarithmic axis scales can be used here too.
[IMAGE]	polar plot	this example shows a simple polar plot created from functions
[IMAGE]	ternary plot	this example shows a ternary plot created with some data
[IMAGE]	sfi (only on download site)	this example introduces overlaid plots by showing a selective field ionization spectra overlaid with the field ramp.

Chapter 10. Known Bugs

Table of Contents

Known Bugs

Known Bugs

For a detailed list of known bugs please take a look at the BUGS file in the LabPlot package.

Chapter 11. Questions and Answers

- 11.1. For which platforms is LabPlot available?
- 11.2. After compiling and starting LabPlot i only see a "File" and a "Help" menu. The toolbars are completely empty. Whats wrong?
- 11.3. How do i export the active worksheet as image?
- 11.4. Some analysis functions are not working. What can i do?
- 11.5. How do i use greek letters for title, axes label, etc.?
- 11.6. How do i use LabPlot objects,plots,etc. in my own application?
- 11.7. I miss an important feature. What can i do?
- 11.8. Many Analysis functions are disabled. What can i do?
- 11.9. I want to help. How can i contribute to LabPlot?

11.1. For which platforms is LabPlot available?

LabPlot is developed for Unix platforms and uses the Qt? toolkit and KDE. Normally you can expect LabPlot to build and run on every platform KDE (≥ 3) supports. A recent list of supported platforms and tips for compiling and running LabPlot can be found on <http://labplot.wiki.sourceforge.net/Download>.

I have access and can support the following platforms :

- openSuSE 10.X
- SuSE 10.0 (main development platform)
- SuSE 9.3
- SuSE 9.1
- Fedora Core ≥ 3
- RedHat 9
- Mandriva 2006
- Mandrake 10.1
- Mandrake 10.0
- Slackware 11

With the help from some volunteers the following platforms (and surely more) are also known to work :

- Debian 3.0
- FreeBSD 4,5
- PLD 2.0
- CentOS 4

If you like to test and compile LabPlot on any other platform (like Solaris, Xantos, Windows, etc.), please let me know. If you encounter any problem during compilation i may be able to help out.

- 11.2.** After compiling and starting LabPlot i only see a "File" and a "Help" menu. The toolbars are completely empty. Whats wrong?

LabPlot uses the standard way for creating the graphical user interface (GUI) of KDE applications. The GUI of LabPlot is described in the file "LabPlotui.rc" which needs to be installed in the correct KDE path so that KDE can build the menu, the toolbars, etc. On normal KDE installation `./configure --prefix=$KDEDIR ; make ; make install` should put all files in the correct directories. (e.g. `$KDEDIR/share/apps/LabPlot/` for "LabPlotui.rc"). Please have a look at your distribution on where to install the needed files.

It is also possible to use a user defined directory for shared files used by KDE. This extra directories can be specified in the environment variable `KDEDIRS`. So when installing LabPlot under `/usr/local` you just need to add `"/usr/local"` to the `KDEDIRS` environment variable before starting KDE.

11.3. How do i export the active worksheet as image?

There are three ways to export the active worksheet as image. The standard way is to use "File->Export To Image". All Qt? supported image formats are allowed. Just select the desired format and the active worksheet is exported. The second way to export as an image is to use "File->Export via pstoeedit". Here the active worksheet is exported to Postscript and then internally converted to the selected format via pstoeedit. A lot of non-image formats (like PDF or DXF) is supported too. You can select the image size, scale and rotation in this dialog. The third way to export to an image is to use "File->Export via ImageMagick". LabPlot uses the ImageMagick library to convert to all possible image formats (over 200 image formats are supported by ImageMagick). Like in "Export via pstoeedit" you can select size, scale and rotation of the image.

11.4. Some analysis functions are not working. What can i do?

LabPlot uses the GNU Scientific Library (gsl) for regression, histograms, fourier transform and nonlinear fitting. You can use LabPlot even if you don't have the gsl installed, but you wont be able to use the above mentioned functions. So please install the gsl if you want to use this features.

11.5. How do i use greek letters for title, axes label, etc.?

LabPlot uses the font "greek times" which was available on SuSE until version 9.0. You just have to install the package `xfntgreek-1.0-560.noarch.rpm` to make this font available. If everything works you should be able to see the greek letters (lower and upper case) in the Label Dialog and you can use them for the label. If that doesn't work for you an alternative approach is to use LaTeX label (using `texvc`) to generate greek letters and other symbols.

11.6. How do i use LabPlot objects,plots,etc. in my own application?

Since the 1.2.3 release of LabPlot all classes of LabPlot are collected in the library `libLabPlot`. At the moment you should have a look at the source packages for the documentation of all classes. After testing how the library can be used i will improve the documentation application programming interface (API) for the library by using doxygen. Please mail me if you have any questions. Additionally I created a KPart object for LabPlot projects so you can display and edit a LabPlot *.lpl file in your application. Please have a look at the KDE documentation on how to use KDE KParts objects.

11.7. I miss an important feature. What can i do?

Please take a look at the TODO file in the documentation of LabPlot. Here all planned features are listed in more or less sorted order which i will implement in future releases of LabPlot. If you like to have additional features or like to have a listed feature soon, mail me your wishes and, if possible, send me example data or a short description of what you like to do. It is not unlikely that your feature will appear in the next stable release of LabPlot :-)

11.8. Many Analysis functions are disabled. What can i do?

It looks like your LabPlot package was compiled without GSL (GNU Scientific Library) support. LabPlot was designed to even work on systems that are missing most of the standard libraries. Many distributions are shipping LabPlot packages without this additional functionality. In this case some functions are not available. Fortunately some programs (like pstoedit or texvc) can be added without recompiling LabPlot. You can always check your system environment in the help menu of LabPlot.

The packages provided on the official download page are always built with the standard libraries (GSL, netCDF, audiofile, etc.). You should use them to have all the features.

11.9. I want to help. How can i contribute to LabPlot?

Yes, of course. There are a lot things to do. Even if you don't know anything about programming i always need people to find bugs, test things and make suggestions. Also the translation and documentation always needs a lot of work. Just mail me if you need any help.

Chapter 12. License

LabPlot

Program copyright 2007 Stefan Gerlach <stefan.gerlach@uni-konstanz.de>

Remember : LabPlot is still under development. There is a long list of missing features that will be implemented in later versions of LabPlot.

Because there are a lot things to do, I need every help i can get. Any contribution like wishes, corrections, patches, bug reports or screen shots is welcome.

Documentation copyright 2007 Stefan Gerlach <stefan.gerlach@uni-konstanz.de>

This documentation is licensed under the terms of the GNU Free Documentation License.

This program is licensed under the terms of the GNU General Public License.

Appendix A. Installation

Table of Contents

How to Obtain LabPlot
Requirements

Compilation and Installation

How to Obtain LabPlot

LabPlot can be found on its homepage at sourceforge.net : <http://labplot.sf.net>. There is an overview about all available packages at <http://labplot.wiki.sourceforge.net/Download>. bug-fixed packages are released regular and can be found there too.

Requirements

In order to successfully use LabPlot, you need at least a standard KDE 3.X installation.

The following libraries are included in the LabPlot distribution. They are only used if not are already installed on the system. Check out "configure --help" for the default options.

- Cephes Math Library Release 2.3: June, 1995 : adapted from Grace for using of powerful mathematical functions (parser) [Free]
- qwtplot3d 0.2.7 : provide OpenGL 3D plots. Used in QWT 3D plot.
- netcdf 3.5.0 : support for reading/writing Unidata Network Common Data Form (netCDF) files [see netcdf/COPYRIGHT]
- texvc 20050202 : for rendering LaTeX strings as label
- qhull 2003.1 : delaunay triangulation in 3d plot

Optional LabPlot uses the following programs/libraries when available :

- GNU scientific library (GSL) : used for special functions in the parser and most of the analysis functions.
- liborigin >= 20070926 : for ORIGIN OPJ file support
- Fastest Fourier Transform in the West (fftw or fftw3) : used for fourier transform.
- pstoeedit : For exporting to *.eps,*.dxf,*.fig, etc. via pstoeedit you need pstoeedit installed.
- Imagemagick/ImageMagick-C++ : For exporting to more than 100 image formats you need ImageMagick++ installed.
- Qt? Script for Applications : used for scripting and plugins for LabPlot.
- R >= 2.2.0 for additional functions and statistic analysis
- Jasper library : support for JPEG 2000 image format
- cdf : support for reading/writing Common Data Form (CDF) files
- hdf5 : support for reading/writing HDF5 data files

Compilation and Installation

In order to compile and install LabPlot on your system type the following in the base directory of LabPlot distribution:

```
% ./configure  
% make  
% make install
```

Since LabPlot uses autoconf and automake you should have not trouble compiling it. For many systems RPM or DEB packages are available. Please check out the download section on the LabPlot homepage. If you run into any problems please report it to the author of LabPlot.